


FT\_02025



**NOTE:**  
-ELECTRIC PANEL WITH MICROCONTROLLER CARD AND MULTIVISION DISPLAY

**STANDARD ACCESSORIES:**  
-REMOVABLE ENABLING KEY FOR THE CABIN BUTTON PANEL  
-REMOVABLE ENABLING KEY FOR THE FLOOR BUTTON PANEL  
-BRUSHED STAINLESS STEEL CABIN HANDRAIL  
-BUTTON PAD ON THE WALL AT LEVEL "2"  
-DISPLAY ON THE LANDINGS

**NOT STANDARD ACCESSORIES:**  
-FULL HEIGHT INFRA-RED CURTAIN  
-PUSH BUTTON PANEL HORIZONTAL  
-CABIN PREPARED FOR FLOOR COVERING AT CUSTOMER EXPENSE (FLOOR THICKNESS 20 mm - MAX WEIGHT 50 Kg)  
-ROOF IN WHITE A32PP  
-CABIN ROOF: LABIRINT WITH LED STRIPS  
-AUTO DIALER EXCLUDED  
-CABIN WALL WITH PURE WHITE GLASS

cabin mass and operators (Kg)	ATLANTIS - RW	470
finishings	INOX Scotch Brite	
floor	ESCLUSO DALLA FORNITURA	
push_button_panel	Orizzontale a n° 6 fori	
roof	Disegno Labirint Bianco A32PP - LED 24V	
cabin doors colour	INOX Scotch Brite (oper. Prisma "Micro Std")	
landing doors colour	Blu Stellato B41SMM	
frame landing doors colour	Blu Stellato B41SMM	
electrical s. cabinet colour	Blu Stellato B41SMM	

Button pad on the wall at level 2

Shaft typology:	MASONRY	Scale	1/15	Sheet	1/2	first draft	27/06/2014	D. Tomei	19/12/2014	final drawing
Stops:	3	Doors:	3	Sheet	3					
Modifications	d.									
	c.									
	b.									
Rif.	a   corrimano, pareti: cabina e definz. colori; Q.E. era dist. 5000; aggiunto pulsant.murare al 2; corsa (6000); testata era 3000 con cabina h 2200.									
ORDER NUMBER	CUSTOMER									
	LIFT SHOP									
	EN499									
	P									
	SUPERMEC									

Provide an inspectionable canalization to allow the way to the piping and to the electrical installation.

Handling switchboard at floor 1, protected against water leaks and inside of the building.

